

Benzofect^{Plus}

Disinfectant Solution Based on Quaternary Ammonium Compounds and Aldehydes | For Veterinary Use Only

Composition Each liter of solution contains: **Benzalkonium Chloride 62.5g** | **Glutaraldehyde 31.25g** | **Isopropyl Alcohol 60g**

DISINFECTANT

Target Animal

Livestock and poultry

Dosage and Administration

First prepare diluted solution in accordance with instructions below:

- / Dilute the solution at 1:100 ratio for disinfecting surfaces (spray or fogging method) and equipment after washing (immersion).
- / Dilute the solution at 1:50 ratio for disinfecting surfaces and spaces (spray or fogging method) and equipment with high risk contamination (immersion).
- / Dilute the solution at 1:20 ratio for disinfecting surfaces and spaces (spray or fogging method) and equipment, entrance pools with severe contamination and in disease incidence condition (immersion).

Storage

- / Store in a cool place, away from direct sunlight and keep lid of container closed.
- / Should be used in 60 days after opening the lid of container.
- / Should be used in 48 hours after preparing the diluted solution.

Precautions

- / Protect eyes and skin by using suitable clothes, gloves, mask and eyeglasses.
- / Avoid swallowing the solution and inhaling its vapors and spray particles.
- / This product is irritant to skin, eyes and mucous membranes, if contacting wash immediately with plenty of clean water and refer to physician.
- / Keep out of reach of children.

Packaging

5 Liter Gallon

Environmental Considerations

- / This material and its container must be disposed of in a safe way.
- / Empty containers may retain some product residues and hence be potentially hazardous.
- / Dispose of waste to licensed waste disposal site in accordance with the requirements of the local regulations.

