Disinfectant Solution Based on Aldehydes and Quaternary Ammonium Compounds | For Veterinary Use Only

Composition Each liter of solution contains: Didecyl Dimethyl Ammonium Chloride 100 g | Glutaraldehyde 40g Formaldehyde 31.5 g | Glyoxal 32 g | Iso-propyl Alcohol 50 g

Target Animal

Livestock and poultry

Dosage and Administration

First prepare diluted solution in accordance with the instruction below:

/ Disinfection of roof, wall and floor of poultry house: Add 0.5 liters of Saniver® into 99.5 liters water, then spray 1 liter of solution on 10 m² of surfaces.

/ Disinfection of equipment: Add 1 liter of Saniver® into 99 liters water, then immerse equipment in 1% solution for 10 minutes.

/ Disinfection of vehicle and transportation trucks: Add 0.5 liters of Saniver® into 99.5 liters water, and then spray diluted solution on available surfaces of vehicles.

/ Disinfection of entrance pools of farms and field: Add 1 liter of Saniver® into 99 liters water, and then use the prepared solution continuously and replace it with new solution after changing the color.

Storage

/ Store in a cool place, away from direct sunlight and keep lid of container closed.

/ Should be used in 60 days after opening the lid of container.

/ Should be used in 48 hours after preparing the diluted solution.

Precautions

/ Protect eyes and skin by using suitable clothes, gloves, mask and eyeglasses.

/ Avoid swallowing the solution and inhaling its vapors and spray particles.

/ This product is irritant to skin, eyes and mucous membranes, if contacting wash immediately with plenty of clean water and refer to physician.

/ Keep out of reach of children.

Packaging

5 Liter Gallon

Environmental Considerations

/ This material and its container must be disposed of in a safe way.

/ Empty containers may retain some product residues and hence be potentially hazardous.

/ Dispose of waste to licensed waste disposal site in accordance with the requirements of the local regulations.

