

Disinfectant

**"Discover the Unique Cure – Precision in Every Drop, Every Dose."**



export@uniqcure.com

"Disinfectant Solution Based on Quaternary Ammonium Compounds and aldehydes."

**Virover**

[www.uniqcure.com](http://www.uniqcure.com)

## Virover®

Disinfectant Solution Based on Aldehydes and Quaternary Ammonium Compounds For Veterinary Use Only

Composition Each liter of solution contains:

- Didecyl Dimethyl Ammonium Chloride 20 g
- Glutaraldehyde 60 g
- Formaldehyde 30 g
- Benzalkonium Chloride 50 g

Target Animal Livestock and poultry

### Indication

Disinfection of:

- Incubators and hatcheries
- Poultry houses, cages and equipment
- Entrance pools in poultry farms
- Entrance pools for vehicles and trucks and herds in livestock farms
- Animal houses, maternity hospitals and slaughterhouses
- Transportation trucks
- Floor covering, shoes, boots and other equipment in poultry and livestock farms

Dosage and Administration First prepare diluted solution based on contamination level in accordance with the instructions below then use it according to the instruction:

- Fungicidal effect: Add 0.5 liters of Virover® into 99.5 liters water.
- Bactericidal effect: Add 750 ml of Virover® into 99.25 liters water.
- Virucidal effect: Add 1 liter of Virover® into 99 liters water.
- Then spray 100 - 200 ml of diluted solution per square meter of surfaces.

Storage

- Store in a cool place, away from direct sunlight.
- Keep the lid of container closed.
- Should be used up to 60 days after opening the lid of container.
- Should be used within 48 hours after preparing the diluted solution.

Precaution

- Protect eyes and skin by using suitable clothing (gloves, mask and eyeglasses).
- Avoid swallowing the solution and inhaling its vapors and spray particles.
- This product is irritant to skin, eyes and mucous membranes, if contacting wash immediately with plenty of clean water and refer to physician.
- Keep out of reach of children.

Packaging 5 Liter Gallon