



UNIQCURE

ADDITIVES & PHARMA

about us.

Since 2018, we have been dedicated to research and development in the production of veterinary drugs and supplements. By 2021, we successfully designed and manufactured 70 products, and by 2024, we expanded our portfolio to 120 products. Looking ahead, our vision is to develop and produce high-quality medicines and supplements for pets, livestock, and aquatic species.

We are now seeking to collaborate with distributors across various countries. If you are interested in learning more about our products and partnership opportunities, please feel free to reach out to us.

visit us.

www.uniqcure.com

contact us.

export@uniqcure.com



ACIDONIQ® LIQUID

ACIDONIQ® LIQUID
Liquid Acidifier
For Veterinary Use Only

Composition

Each liter of solution contains:
Propionic Acid
Formic Acid

Target Animals
Broilers, Breeders, Layers and Turkeys

Indications

ACIDONIQ® Liquid is indicated for:

- Elimination of pathogenic microorganisms in drinking water
- Disinfection and pH reduction of drinking water even in the presence of organic matter (feed and droppings)
- Effective control of molds, yeasts and enteropathogens such as E. coli, Salmonella spp., Campylobacter spp. and Clostridium spp.
- Elimination and prevention of biofilm formation in water pipes and tanks, one of the main sources of infection in poultry farms
- Reduction of fecal moisture, decrease in ammonia gas production, and improvement of litter quality
- Improvement of digestive enzyme activity, enhanced conversion of pepsinogen to pepsin through gastric pH reduction, and increased protein digestion
- Improvement of eggshell quality and reduction of dirty egg percentage
- Enhancement of growth rate and reduction of feed conversion ratio (FCR)
- Improvement of the efficacy and performance of antibiotics such as fosfomycin, doxycycline and tylvalosin

Dosage and Administration

• Prevention of infection:

0.5–1 liter of ACIDONIQ® Liquid per 1000 liters of drinking water

• Post-vaccination & pre-slaughter:

1 liter of ACIDONIQ® Liquid per 1000 liters of drinking water

• Water quality problems:

1 liter of ACIDONIQ® Liquid per 1000 liters of drinking water

Dosage and duration should be prescribed by a veterinarian.

Contraindications

- Avoid administration of ACIDONIQ® Liquid 24 hours before and 24 hours after vaccination via drinking water, as pH reduction may damage live vaccine viruses
- Avoid simultaneous use with drugs containing alkaline salts

Withdrawal Period

None.

Drug Interactions

None reported.

Storage Conditions

- Store at room temperature
- Protect from direct sunlight
- Keep the container tightly closed

Precautions


- Use under the supervision of a veterinarian
- Keep out of reach of children
- Protect eyes and skin using suitable protective equipment (gloves, mask and goggles)
- Mix ACIDONIQ® Liquid well with drinking water to ensure homogeneous distribution
- Water containing ACIDONIQ® Liquid can be consumed immediately after mixing

Environmental Considerations

- Avoid release into the environment
- Dispose of waste and empty containers safely according to local regulations

Packaging

1 Liter Bottle and 5 Liter Gallon



Elimination of pathogenic microorganisms in drinking water

