



# UNIQCURE

## ADDITIVES & PHARMA

### about us.

Since 2018, we have been dedicated to research and development in the production of veterinary drugs and supplements. By 2021, we successfully designed and manufactured 70 products, and by 2024, we expanded our portfolio to 120 products. Looking ahead, our vision is to develop and produce high-quality medicines and supplements for pets, livestock, and aquatic species.

We are now seeking to collaborate with distributors across various countries. If you are interested in learning more about our products and partnership opportunities, please feel free to reach out to us.

### visit us.

[www.uniqcure.com](http://www.uniqcure.com)

### contact us.

[export@uniqcure.com](mailto:export@uniqcure.com)



# AQUA ANTIFECT®

AQUA ANTIFECT®  
Specialized Broad-Spectrum  
Disinfectant for Aquaculture Farms  
(Safe for Use in the Presence of  
Aquatic Animals)  
(Effective against bacterial, viral,  
parasitic, and fungal pathogens)  
For Veterinary Use Only

Composition  
Each 1 liter of solution contains:  
Glutaraldehyde  
Coco Quat

- Target Animals
- Aquatic animals (cold-water fish, warm-water fish, marine fish, and shrimp)

- Indications
- AQUA ANTIFECT® is used in all types of aquaculture farms for disinfection of:
- Aquaculture ponds
  - Fishing boats
  - Equipment and tools
  - Nets
  - Foot and wheel disinfection pools

It is effective against bacterial, viral, parasitic, and fungal pathogens and is safe for use in the presence of aquatic animals when used at recommended doses.

- Dosage and Administration
- General Instructions:
- Always dilute AQUA ANTIFECT® in water before use
  - Add the diluted solution near aerators
  - Stop use 14 days before harvesting fish or shrimp
  - Repeat treatment every 14 days if needed
  - Use under veterinary supervision

Dosage in Aquatic Animals			
Target	Dosage	Remarks	
Cold-water fish	5–8 L / 1000 m³ pond water	According to pollution level	
Warm-water fish	0.5–1 L / 1000 m³ pond water	According to pollution level	
Shrimp	0.5–1 L / 1000 m³ pond water	According to pollution level	
Zoothamnium infection	1–1.25 L / 1000 m³ pond water	Repeat after 14 days if reinfection occurs	

Dosage for Disinfection of Tools, Equipment, and Facilities			
Application	Dilution	Method	
Pool preparation before liming and fertilizing	1:100	Spray 1 L / 500 m²	
Floors and walls	1:150	Spray 300 ml/m²	
Nets and tools	1:100	Immerse for 20 minutes, then rinse	
Foot & wheel baths	1:100	Replace solution every 3 days	
Trays, nets, accessories	1:150	Spray and rinse	
Vehicles	1:150	Complete external disinfection	

Note:  
Before surface disinfection, empty and dry the pool, then spray AQUA ANTIFECT® at a dilution of 1:10 to 1:100 depending on contamination level.

- Contraindications
- None reported

- Withdrawal Period
- 14 days

- Storage Conditions
- Store at room temperature
  - Protect from direct sunlight
  - Keep the container tightly closed
  - Use within 60 days after opening
  - Use diluted solution within 48 hours after preparation

- Precautions
- Wear protective clothing, gloves, mask, and safety goggles
  - Avoid swallowing, inhalation of vapors, and spray mist
  - Product is allergenic to skin, eyes, and mucous membranes
  - In case of contact, rinse immediately with plenty of clean water and consult a physician
  - Not corrosive when diluted
  - Safe for use on metals, plastics, wood, and concrete surfaces
  - Keep out of reach of children

- Environmental Considerations
- Dispose of product and containers in a safe manner
  - Empty containers may contain hazardous residues
  - Do not discharge residues into drains, water sources, or soil
  - Dispose of waste at a licensed waste disposal site according to local regulations

- Packaging
- 5-Liter Gallon



Disinfection of all  
types of  
aquaculture farms

