



UNIQCURE

ADDITIVES & PHARMA

about us.

Since 2018, we have been dedicated to research and development in the production of veterinary drugs and supplements. By 2021, we successfully designed and manufactured 70 products, and by 2024, we expanded our portfolio to 120 products. Looking ahead, our vision is to develop and produce high-quality medicines and supplements for pets, livestock, and aquatic species.

We are now seeking to collaborate with distributors across various countries. If you are interested in learning more about our products and partnership opportunities, please feel free to reach out to us.

visit us.

www.uniqcure.com

contact us.

export@uniqcure.com



ENRONIQ® 10%

Enrofloxacin 10% – Oral Solution
Antibiotic
For Veterinary Use Only

Composition

- Each L contains:
- Enrofloxacin 100 g
 - Excipients q.s.

Target Animal
Poultry
(Broilers, Layers, Breeders)

Indication
ENRONIQ 10% is a broad-spectrum fluoroquinolone antibiotic indicated for the treatment and control of bacterial infections caused by enrofloxacin-sensitive organisms, including:

- Chronic Respiratory Disease (CRD)
- Mycoplasmosis
- Colibacillosis (E. coli)
- Salmonellosis
- Pasteurellosis
- Infectious Coryza
- Enteritis and septicemia
- Secondary bacterial infections during viral diseases

It helps to:

- Rapidly control acute infections
- Reduce mortality and morbidity
- Improve flock performance
- Accelerate recovery in stressed birds

Dosage and Administration
Recommended Dose:
10 mg enrofloxacin per kg body weight daily
(Equivalent to 1 ml ENRONIQ 10% per 10 liters of drinking water)
For 3 – 5 consecutive days.
Severe Infections:
Treatment may be extended up to 5 – 7 days under veterinary supervision.
Administer continuously through drinking water. Prepare fresh solution daily.

Contraindication

- Hypersensitivity to fluoroquinolones
- Do not use in birds with severe renal or hepatic impairment
- Do not use in laying hens producing eggs for human consumption

Withdrawal Period

- Meat: 7 – 10 days
- Eggs: Not permitted for eggs intended for human consumption

Drug Interaction

- Reduced activity when administered with tetracyclines, macrolides or chloramphenicol
- Avoid combination with NSAIDs without veterinary advice

Storage

- Store below 25°C
- Protect from light
- Do not freeze
- Keep bottle tightly closed after opening

Precaution

- For veterinary use only
- Use strictly under veterinary supervision
- Do not exceed recommended dose
- Keep out of reach of children

Environmental Consideration
Dispose of empty containers safely according to local environmental regulations.

Packaging
1 Liter Bottle



a broad-spectrum
antibiotic
indicated for the
treatment and
control of
bacterial
infections

