

UNIQCURE ADDITIVES & PHARMA

about us.

Since 2018, we have been dedicated to research and development in the production of veterinary drugs and supplements. By 2021, we successfully designed and manufactured 70 products, and by 2024, we expanded our portfolio to 120 products.

Looking ahead, our vision is to develop and produce high-quality medicines and supplements for pets, livestock, and aquatic species.

We are now seeking to collaborate with distributors across various countries. If you are interested in learning more about our products and partnership opportunities, please feel free to reach out to us.

visit us.

www.uniqcure.com

contact us.

export@uniqcure.com



NORAXIN® 20%

NORAXIN® 20%
Norfloxacin Oral Antibiotic Solution
For Veterinary Use Only

Composition

Each liter of solution contains:
Norfloxacin 200 g

Target Animals
Broilers and Layer Pullets

Indications

NORAXIN® 20% is indicated for the treatment of infections caused by norfloxacin-sensitive microorganisms, including:

- Respiratory infections and Chronic Respiratory Disease (CRD)
- Gastrointestinal infections and necrotic enteritis
- Genitourinary tract infections
- Mycoplasma infections
- Septicemia, peritonitis, and arthritis
- Secondary bacterial infections associated with viral diseases
- Other infections caused by Gram-negative and Gram-positive bacteria such as:
Salmonella, Pasteurella (Fowl Cholera), Staphylococcus, Streptococcus, Pseudomonas aeruginosa, Campylobacter, Haemophilus, and E. coli

Dosage and Administration

1 liter of NORAXIN® 20% per 1500–4000 liters of drinking water
(Average: 1 liter per 2000 liters)
Administer throughout the day for 3–5 consecutive days.

Notes

- Dosage and duration should be prescribed by a veterinarian
- Medicated water must be used within 24 hours during the therapy period

Contraindications

- Do not use in layers producing eggs for human consumption

Withdrawal Period

- Chicken meat: 4 days

Drug Interactions

Avoid simultaneous use with:

- Tetracyclines
- Macrolides
- Lincosamides
- Chloramphenicol

Storage Conditions

- Store at room temperature
- Protect from direct sunlight
- Keep the container tightly closed

Precautions


- Use under the supervision of a veterinarian
- Keep out of reach of children
- Do not use after the expiry date
- Shelf life:
 - 2 years when sealed under proper storage conditions
 - 28 days after first opening

Environmental Considerations

- Avoid release into the environment
- Dispose of empty containers and waste safely according to local regulations

Packaging

1 Liter Bottle



Treatment of infections

