UNICURE ADDITIVES & PHARMA

about us.

Since 2018, we have been dedicated to research and development in the production of veterinary drugs and supplements. By 2021, we successfully designed and manufactured 70 products, and by 2024, we expanded our portfolio to 120 products. Looking ahead, our vision is to develop and produce high-quality medicines and supplements for pets, livestock, and aquatic species.

We are now seeking to collaborate with distributors across various countries. If you are interested in learning more about our products and partnership opportunities, please feel free to reach out to us.

visit us.

www.uniqcure.com

contact us.

export@uniqcure.com



THIAMPHENICURE 10%

THIAMPHENICURE® 10%
Thiamphenicol – Oral Solution
Antibiotic
For Veterinary Use Only

Composition

Each L contains:

- Thiamphenicol 100g
- Excipients q.s.

Target Animal Poultry

Indication

THIAMPHENICURE® 10% is a broad-spectrum antibiotic indicated for the treatment and control of bacterial infections caused by Thiamphenicol-sensitive organisms in poultry, including:

- Chronic Respiratory Disease (CRD)
- Mycoplasmosis
- Colibacillosis (E. coli)
- Salmonellosis
- Infectious Coryza
- Pasteurellosis
- Enteritis
- Septicemia
- Secondary bacterial infections associated with viral diseases

It helps to:

- Rapidly suppress respiratory and intestinal infections
- Reduce mortality and clinical signs
- Improve growth performance and feed conversion
- Speed up recovery during outbreaks

Dosage and Administration

Recommended Dose:

40 - 50 mg Thiamphenicol per kg body weight daily

For 3 – 5 consecutive days.

Severe cases:

Treatment may be extended up to 5 - 7 days under veterinary supervision.

Administer via drinking water only.

Propers freely medicated water daily

Prepare fresh medicated water daily.

Contraindication

- Hypersensitivity to thiamphenicol
- Severe liver dysfunction
- Do not use in laying birds producing eggs for human consumption

Withdrawal Period

- Meat: 4-6 days
- Eggs: Not for human consumption during treatment and withdrawal period

Drug Interaction

Avoid the simultaneous use of thiamphenicol with Penicillins,
 Cephalosporines and Aminoglycosides.

Storage

- Store below 25°C
- Protect from direct sunlight
- Do not freeze
- Keep container tightly closed

Precaution

- For veterinary use only
- Use strictly under veterinarian supervision
- Do not exceed recommended dose
- Keep out of reach of children

Environmental Consideration

Dispose of empty containers in accordance with local environmental regulations.

Packaging

1 Liter Bottle



a broad-spectrum antibiotic indicated for the treatment and control of bacterial infections

